

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Centre Number

Candidate Number

**Pearson Edexcel International Advanced Level**

**Monday 19 January 2026**

Morning (Time: 1 hour 20 minutes)

Paper  
reference

**WBI13/01**

**Biology**

**International Advanced Subsidiary/Advanced Level**

**UNIT 3: Practical Skills in Biology I**

**You must have:**

Scientific calculator, ruler, HB pencil

Total Marks

### Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided  
– *there may be more space than you need.*

### Information

- The total mark for this paper is 50.
- The marks for **each** question are shown in brackets  
– *use this as a guide as to how much time to spend on each question.*

### Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P79033A

©2026 Pearson Education Ltd.  
C:1/1/1/1/1/



Pearson

**Answer ALL questions.**

**Write your answers in the spaces provided.**

- 1 (a) The blue lotus is a freshwater plant found in lakes and rivers in East Africa.

The photograph shows a fruit and seeds of this plant.




(Source: ©YesinK/Shutterstock)

This fruit has been used in traditional medicine.

The antibacterial properties of an extract of the seeds were investigated.

The extract was made using ethanol.

The flow chart shows the steps taken:



(i) Describe how to make a clear solution, of known concentration, using powdered seeds.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(ii) Describe how bacteria could have been added to the nutrient agar to produce a lawn.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(iii) Explain why an incubation temperature of 37°C was used in this investigation.

(2)

.....

.....

.....

.....

.....


.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) The diagram shows results for two types of pathogenic bacteria, *S. typhi*, which causes typhoid fever, and *V. cholerae*, which causes cholera.



(i) Complete the table to show the results for **disc 1** and **disc 2**.

(1)

Disc	Concentration of extract / $\mu\text{g cm}^{-3}$	Diameter of zone of inhibition / mm	
		<i>S. typhi</i>	<i>V. cholerae</i>
1	1000	.....	13
2	500	.....	11
3	250	0	10
4	125	0	9
5	63	0	8
6	0	0	0
7	known antibiotic	19	20

(ii) Suggest how disc 6 was prepared for use in this investigation.

(1)

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA




P 7 9 0 3 3 A 0 5 2 0

(iii) Plot a suitable graph of the data for discs 1 to 6 for *V. cholerae*.

Join the points with straight lines.

(4)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(iv) Describe **three** conclusions about the effectiveness of this extract.

Use the results in the table to support your answer.

(3)

1 .....

.....

.....

2 .....

.....

.....

3 .....

.....

.....

**(Total for Question 1 = 17 marks)**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- 2 A study found that many adults consumed an unhealthy takeaway meal every day.

The photograph shows a typical takeaway meal consisting of a burger with cheese in a bread bun, fries and a sugar-free soft drink.



(Source: © Markus Mainka/Shutterstock)

- (a) A student decided to investigate the carbohydrate, protein and fat composition of a takeaway meal.

The meal was liquidised in a blender. The mixture produced was filtered and the filtrate was tested for the presence of carbohydrates, proteins and fats.

- (i) Complete the table to show a suitable semi-quantitative test for each food type.


(3)

Food type	Food test
Fats	Emulsion test
Reducing sugars	.....
Starch	.....
Protein	.....



- (ii) A protein test was performed on a sample of the filtrate and the result compared with colour standards.

The diagram shows the results for the filtrate and standard solutions of proteins.



(Source: © A StepBioMed/Shutterstock)

Estimate the concentration of protein in the filtrate.

(1)

- (iii) The total volume of the filtrate was 350 cm<sup>3</sup>.

Calculate the mass of protein in the filtrate.

Give your answer in grams.

(2)

Answer ..... g



(iv) Describe the difference between a quantitative and a semi-quantitative test.

(2)

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) The concentration of reducing sugar in the filtrate, in  $\text{g dm}^{-3}$ , was found.

The table shows the appearance of standard solutions of reducing sugar when tested.

Appearance	Concentration of reducing sugar / $\text{g dm}^{-3}$
Blue	0.0
Green with no visible precipitate	1.5
Green with precipitate	5.0
Yellow with precipitate	12.0
Orange with precipitate	16.0
Red with precipitate	23.0



The mass of reducing sugar in the 350 cm<sup>3</sup> of filtrate was 5.6 g.

- (i) State the appearance of this filtrate when tested for reducing sugar.

Use the information in the table.

(1)

- (ii) The filtrate was found to contain 36 g of carbohydrate; 5.6 g of this was reducing sugar.

Give **one** reason why the mass of the reducing sugar is different from the mass of carbohydrate.

(1)

- (iii) Resistant starch is a form of starch that is difficult to break down.

Resistant starch is found in potatoes.

In an investigation, the effect of:

- the variety of potato
- the cooking method used (baked or fried)
- the temperature after cooking (hot or cold)

on the mass of resistant starch present was determined.

The table on the next page shows the results of this investigation.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Variety of potato	Mass of resistant starch in 100 g of potato after cooking / g			
	Baked		Fried	
	Hot	Cold	Hot	Cold
Red Norland	$3.8 \pm 0.6$	$4.8 \pm 0.7$	$2.5 \pm 0.6$	$3.1 \pm 0.2$
Russet Burbank	$3.5 \pm 0.2$	$4.7 \pm 0.5$	$2.6 \pm 0.4$	$3.8 \pm 0.2$
Yukon Gold	$3.5 \pm 0.4$	$5.4 \pm 0.5$	$2.3 \pm 0.8$	$3.9 \pm 0.3$

Justify **two** conclusions that can be made from the results shown in this table.

(4)

Conclusion 1

Justification

Conclusion 2

Justification



(c) Fats contain triglyceride molecules, made up of several component molecules.

(i) Describe how a triglyceride molecule is made from its component molecules.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(ii) Give **one** difference between a saturated and an unsaturated fat.

(1)

.....

.....

.....

**(Total for Question 2 = 18 marks)**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



3 Savinase is an enzyme used in biological washing powders.

This enzyme digests protein-based stains on clothing.

An extract from an information sheet about savinase said:

*Savinase is effective under most alkaline conditions and is very effective at medium temperatures, its optimal activity is at 55°C.*


*Savinase can produce blisters on the skin.*

The progress of protein digestion can be followed using a colorimeter to measure the cloudiness of a protein solution.

As the insoluble protein is digested, the cloudiness measured as absorbance decreases.

Absorbance is zero when all the protein has been digested.

The diagram shows a colorimeter.



(a) Explain why the digestion of protein by savinase produces a clear solution in the colorimeter.

(2)

.....

.....

.....

.....

.....

.....

.....




DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) The graph shows the effect of substrate concentration on the initial rate of reaction with savinase.

The concentration of savinase used in the investigation was  $0.1 \text{ mmol dm}^{-3}$ .



(i) Draw a table to show these results.

(3)



(ii) Explain why the initial rate of reaction was measured in this investigation.

(2)

.....

.....

.....

.....

.....

.....

(iii) Explain the relationship shown in this graph.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(c) Devise a procedure to show that the optimum temperature for savinase is 55 °C.

You are provided with:

- 1.0 mmol dm<sup>-3</sup> savinase solution
- 1.0 mmol dm<sup>-3</sup> of protein solution
- a colorimeter
- standard laboratory equipment and chemicals.

(5)

Area with horizontal dotted lines for writing the answer.

**(Total for Question 3 = 15 marks)**

**TOTAL FOR PAPER = 50 MARKS**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**

